

東莞永力電業有限公司

YUNG LI CO., LTD

**Da Pu Industrial Zone, Gang Zi, Changping Town,
Dong Guan City, Guangdong 523571 China.P.R.C**

TEL:0769-83396797~8

FAX:0769-83396796

E-mail: sales@yung-li.com

Description: **YP-21A/YC-13**

Customer: **MAG**


Parts No. : **CB-8-2W**

Draw No. :

REVISION RECORD


1		
2		
3		
4		
5		

YUNG LI		CUSTOMER	APPROVED
CHECKED	PREPARED BY		



N/15371

No advice if add any approval marks on this POWER CORD








Sample Drawing No.:
SP110125-17

NO.	SPECIFICATION	Q' TY	REMARK
1	H03VVH2-F 0.75/2C WHITE	1PC	1810±20(VL)
2	YP-21A PVC PLASTIC:50P WHITE	18g/PC	
3	Europe plug inner model:P98003P-A	1PC	
4	YC-13 TER	2PCS	
5	YC-13 H. S. G	1PC	
6	YC-13 PVC PLASTIC:50P WHITE	9g/PC	
7	MINI TIE:L=130mm WHITE	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		YUNG LI CO.,LTD			
	Checked		Date					
	Drawn	SUKI	Date	11.01.25	Customer	MAG		
	Cat. No.	YP-21A/YC-13			P/N.	CB-8-2W		
	Drawing No.		Rev.	B	Material	P.V.C	Unit	mm
					Scale			







1532AP



TOLERANCE >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD			
	CHECKED		DATE					
	DRAWN	羅生英	DATE	10.04.13				
	TYPE	YP-21A			P/N			
	DRAWING NO.	CY-DP21AV			MATERIAL	P. V. C	UNIT	mm
				SCALE	1:1			



N/15371



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN	羅生英	DATE	10.09.08				
	TYPE	YC-13			CUSTOMER			
	DRAWING NO.	CY-C13V			MATERIAL	P. V. C	UNIT	mm
			SCALE	1:1				

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-21A/YC-13	POWER SUPPLY CORD		1 of 3

1. SCOPE:

This specification applies to POWER SUPPLY CORDS which are in compliance with Carport neck DIN VDE 0620/06.87 and Carport nacho DIN VDE 0625 Tail 1/01.88(EN 60 320 Tail 1/09.86)

2. Standard of applicable

No.	Item	Type	Max. voltages	Max. current	File No.
2.1	Plug	YP-21A	250V	2.5A	
2.2	Connector	YC-13	250V	2.5A	
2.3	Cord	H03VVH2-F 0.75/2C			

3. TEST CONDITION: This test and measurement, unless otherwise specified shall be carried out at a temperature of 15⁰C to 35⁰C, relative humidity of 25% to 85%, and atmospheric pressure of 86kpa to 106kpa.

However, when any doubt arises on the judgement value under it the test and measurement shall be carried out at a temperature of 20±2⁰C, relative humidity of 60% to 70%, and atmospheric pressure of 86kpa to 106kpa.



4.ELECTRICAL PERFORMANCE

NO.	Item	Test condition	Requirement
4-1	Dielectric Withstanding Voltage test	AC2500V is applied between a conductor and other conductor for 1 second. Loss of electric current at 1mA	No breakage
4-2	Current and Polarity test	L=L E=E N=N	No problem with Conductor
4-3	Insulation resistance test	In the air 20 ⁰ C~60 ⁰ C DC 500V	5M / km MIN

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-21A/YC-13	POWER SUPPLY CORD		2 of 3


5. MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
5-1	Aging test	Exposure to 70±2 , atmosphere for 168 hours under natural ventilation.	No crack mucus mark wire exposure short and opposite polarity.
5-2	Input & output Force to connector	It is tested after taking the action of 10time input & output.	Applied force is 1~6kg
5-3	Pulling out force of terminal	The connection between blade terminal and conductor shall not break under a pull force of 20lbs for 1minute 	Blade can not fall down
5-4	Pulling out force of cord	The joint in flexible cord is to be securely supported by a rigid flat mounted horizontally, a pull of 133.4N weight for one minute to the flexible cord 	No looseness

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-21A/YC-13	POWER SUPPLY CORD		3 of 3

6.MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-1	Bending force	<p>The power supply cord division is fixing and load of 1000g is added to a tip of a cable. It is made to do 10000times bending on right and left each 45° (bending speed 60 times/minute)</p> <div style="text-align: center;">  <p style="text-align: right; margin-right: 50px;">YC-13</p> <p style="text-align: center;">1000g</p> </div>	Breaking rate is under 30%

YUNG LI CO., LTD

SPECIFICATION










Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2009.4.24			
Edition	Size	H03VVH2-F 2 x 0.75mm²	Page
A			1/2

1. Standard: IEC 227 IEC228

2. Construction & Dimension

	Item	Specification
Conductor	Size	2 x 0.75mm ²
	Material	Annealed Bare Copper
	Construction	24 / ϕ 0.202±0.01
Insulation	Material	PVC
	Minimum Average Thickness	0.50mm
	Minimum Thickness at any point	0.35mm
	Diameter	2.15 ± 0.10
	Identification	Blue,Brown
Core Assembly	Core Twist	2-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.41mm
	Overall Diameter(Approx)	3.4 ± 0.1/5.6±0.15
	Color	Any Color

Marking:

YUNG LI H03VVH2-F 2X0.75mm² <VDE> NF-USE 1347  KEMA-KEUR  <OVE>  
   IEMMEQU Q04083  A004049 60227 IEC 52(RVV) 300/300V  KTL SU01027-4001

YUNG LI CO., LTD


SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2005.09.23			
Edition	Size	H03VVH2-F 2 x 0.75mm²	Page
A			2/2

3. Electrical & Physical Properties

Item		Specification	
Rating Voltage		70°C 300V	
Conductor resistance(AT 20°C)		26.0Ω/Km MAX	
Insulation Resistance(AT 70°C)		0.010MΩ/Km Min	
Dielectric Strength		AC 2.0 KV / 15 min No Break	
Spark Test		5.0KV	
Insulation	Unaged	Tensile Strength	1500 lbs/in ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
Jacket	Unaged	Tensile Strength	1500 lbs/in ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
Deformation Test		70±4°C X 1hr ≤ 50%	
Cold Bend Test		-15°C x 4hr No Crack	
Heat Shock Test		150±2°C x 1hr No Crack	

Graph:



VDE Prüf- und Zertifizierungsinstitut

ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town
523571 DONG GUAN CITY
Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Stecker ohne Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, without earthing contact, non-rewirable, moulded


die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0620 Teil 101:1992-05; EN 50075:1990

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification


VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

Aktenzeichen: 1609800-1560-0005 / 125375

File ref.:

Ausweis-Nr. 40022312

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2007-10-05

(letzte Änderung/updated 2009-12-17)

<http://www.vde.com/zertifikat>

<http://www.vde.com/certificate>

VDE



Name und Sitz des Genehmigungsinhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Chang Ping Town, 523571 DONG GUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1560-0005 / 125375 / FG45 / SHA

letzte Änderung / *updated* Datum / *Date*

2009-12-17 2007-10-05

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40022312.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40022312.

Stecker ohne Schutzkontakt, nicht wiederanschließbar, umspritzt
Plug, without earthing contact, non-rewirable, moulded

Typ(en) / *Type(s)*:

YP-21A

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

2,5 A

Polzahl
Number of poles

zweipolige Ausführung(en) ohne Schutzkontakt
two-pole version(s) without earthing contact

Bauart
Kind of construction

Normblatt 1 (EN 50075)
Standard sheet 1 (EN 50075)

Schutzart
Degree of protection

IP20

Technische Daten
Technical data

siehe Anlage Nr.: 100A
see Appendix No.: 100A

Anmerkung
Remark

Die Stecker entsprechen zusätzlich IEC 60884-1(ed.3)
The plugs are additional corresponding with IEC 60884-1(ed.3)

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Fachgebiet FG45
Section FG45

AUSTRIAN ELECTROTECHNICAL ASSOCIATION

1010 Wien, Eschenbachgasse 9

ZVR: 327279890 DVR: 1055887

Testing & Certification

Kahlenberger Str. 2A

1190 Wien, Austria

Phone: +43 1 370 58 06

Fax: +43 1 370 58 06-199



Page 1 of 2

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: 21721-012-01

Valid from: 2009 11 23

until: 2011 11 23

The Austrian Electrotechnical Association (ÖVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **Yung Li Co. Ltd.**
Da Pu Industrial Zone, Gang Zi, Chang Ping Town
523571 Dong Guan City, Guang Dong Province
China

Product: **Non rewirable two pole plug for Class II appliances**

Basis for this given right is the conformity of the products with the requirements of the technical standards listed in this certificate as stated in the file(s) Ref.-No(s). **2380-1454/07.**

This certificate establishes the conformity of the tested specimen and of all products manufactured strictly identical to the submitted one.

Österreichischer Verband für Elektrotechnik
Head of Testing & Certification

Digitally signed by W. Martin
Email=w.martin@ove.at

Dipl.-Ing. W. Martin

Vienna, 2009 09 15



ÖVE – Testing & Certification

Accredited by the Austrian Ministry of Economy, Family and Youth as Certification Body for products and processes in the field of electrical and electronic engineering, including safety and EMC





Manufacturer:

Yung Li Co. Ltd.
Da Pu Industrial Zone, Gang Zi, Chang Ping Town
523571 Dong Guan City, Guang Dong Province
China

Factory location(s):

Yung Li Co. Ltd.
Da Pu Industrial Zone, Gang Zi, Chang Ping Town
523571 Dong Guan City, Guang Dong Province
China

Tested and certified according to:

ÖVE-IG/EN 50075:1990

Product: Non rewirable two pole plug for Class II appliances

Type designation:

Rating:

Trademark:

YP-21A

Rated voltage: AC 250 V
Rated current: 2,5 A
H03VVH2-F 2 X 0,75

YUNG LI

YP-21A

Rated voltage: AC 250 V
Rated current: 2,5 A
H03VV-F 2 X 0,75

YUNG LI

YP-21A

Rated voltage: AC 250 V
Rated current: 2,5 A
H05VVH2-F 2 X 0,75

YUNG LI

YP-21A

Rated voltage: AC 250 V
Rated current: 2,5 A
H05VVH2-F 2 X 1

YUNG LI

YP-21A

Rated voltage: AC 250 V
Rated current: 2,5 A
H05VV-F 2 X 0,75

YUNG LI

YP-21A

Rated voltage: AC 250 V
Rated current: 2,5 A
H05VV-F 2 X 1

YUNG LI

OVE – Testing & Certification

Accredited by the Austrian Ministry of Economy, Family and Youth as Certification Body for products and processes in the field of electrical and electronic engineering, including safety and EMC



Demko Certificate

Product: Plug, non-rewirable
Manufacturer: Yung-Li Co., Ltd.
Da Pu Industrial Zone, Chang Ping Town, Dongguan City
523571 GUANG DONG PROVINCE, CHINA
Production site: Yung-Li Co., Ltd.
Da Pu Industrial Zone, Chang Ping Town, Dongguan City
523571 GUANG DONG PROVINCE, CHINA
Certified by request of: Yung-Li Co., Ltd.
Da Pu Industrial Zone, Chang Ping Town, Dongguan City
523571 GUANG DONG PROVINCE, CHINA
Trademark: YUNG LI or YL
Model/Type ref.: See appendix
Rated current or power: 2,5 A
Rated voltage: 250 V-
Insulation Class: -
Degree of protection: IP 20
Additional information: See appendix, Standard sheet 1

Variants covered by this certificate are specified in the attached appendix.
Detailed specification of the certified product(s) is listed in the appendix.

A sample of the product has been tested and found in conformity with EN 50075:1990

Date of expiry: 2012-10-25

Furthermore, the product complies with the national deviations in Denmark.

UL International Demko A/S is a body notified to the Member States and Commission of the European Communities according to the provisions of Article 8 of the Low Voltage Directive.

The Manufacturer complies with the Production Surveillance Requirements. Products included in this certificate are allowed to carry the registered approval marks of UL International Demko A/S, or for cables <DEMKO>. The name of UL International Demko A/S can be used in the marketing of the products. This Statement is only valid for products, which are identical to the tested product, and manufactured at the above-mentioned production site(s). UL International Demko A/S has to be informed in writing about any changes, in accordance with the "UL International Demko A/S Standard Terms and Conditions" for UL International Demko A/S services. The validity of this certificate is shortened if the EU legislation requires re-testing and re-certification, due to new standards or amendments coming into force, before the expiry date.

Herlev, 2007-10-31


Jan-Erik Storgaard
Certification Manager

UL International Demko A/S

Lyskaer 8, P.O. Box 514
DK-2730 Herlev, Denmark
Telephone: +45 44856565
Fax: +45 44856500



An Affiliate of
**Underwriters
Laboratories Inc.®**

Appendix to Demko Certificate No. 314409-01

The Certificate covers the following:

01: YP-21A, with cord H03VV-F 2x0,75mm²

02: YP-21A, with cord H03VVH2-F 2x0,75mm²

03: YP-21A, with cord H05VV-F 2x0,75-1mm²

04: YP-21A, with cord H05VVH2-F 2x0,75-1mm²

The certificate has been issued on the basis of Nordic certification Service, certificate No. FI 23750, issued by SGS Fimko Ltd., dated 2007-10-25.

Herlev, 2007-10-31


Jan-Erik Storgaard
Certification Manager

UL International Demko A/S

Lyskaer 8, P.O. Box 514
DK-2730 Herlev, Denmark
Telephone: +45 44856565
Fax: +45 44856500



An Affiliate of
**Underwriters
Laboratories Inc.®**

CERTIFICATE

KEMA No.: 2111242.01



Issued to:

Applicant:

Yung Li Co., Ltd.
Da Pu, Industrial Zone, Chang Ping Town,
523571, DONG GUAN CITY,
GUANGDONG, China

Manufacturer/Licensee:

Yung Li Co., Ltd.
Da Pu, Industrial Zone, Chang Ping Town,
523571, DONG GUAN CITY,
GUANGDONG, China

Product : plug, (2-pole)
Trade name : YUNG LI
Type/model : YP-21A

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

KEMA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 50075:1990
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 2078870

KEMA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on: 14 November 2007 and expires upon withdrawal of one of the above mentioned standards.

KEMA Quality B.V.

P. Nabuurs
Managing director

J.C. Hendriksen
Certification Manager

ACCREDITED BY
THE DUTCH COUNCIL
FOR ACCREDITATION



© Integral publication of this certificate is allowed

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

product	:	plug, (2-pole)
trade name	:	YUNG LI
type	:	YP-21A
rated current	:	2,5 A
rated voltage	:	250 V~
design	:	non-rewirable
standard sheet	:	I
applied flexible cord	:	H03VV-F 2x0,75 mm ² H03VVH2-F 2x0,75 mm ² H05VVH2-F 2x0,75 and 2x1,0 mm ² H05VV-F 2x0,75 and 2x1,0 mm ²
certification mark	:	complies with the specified requirements
cord termination	:	crimped connection
description	:	body of thermoplastic material as part of an incomplete cord set for class II appliances
markings	:	are shown on the body

TESTS**Test requirements**

EN 50075:1990

Test result

The test results are laid down in KEMA test file 2111242.01.

Remarks

This certificate is based on the VDE CB Test Certificates DE 1-38093/B1 and DE 1-38093/B2

Conclusion

The examination proved that all test requirements were met.

Tested by : VDE

Checked by : H.R.M. Barends

**Factory location**

Yung Li Co., Ltd.

Da Pu, Industrial Zone, Chang Ping Town,

523571, DONG GUAN CITY, GUANGDONG, China



ORIGINAL

LICENCE

No. 15412

Issued to:

Applicant:

Yung Li Co. Ltd.

Da Pu Industrial Zone

Chang Ping Town, Dong Guan City

523571 GUANG DONG Province

China

Licensee:

Yung Li Co. Ltd.

1F, No.10, Lane 235,

Pao Chiang Road

HSIN-TIEN, TAIPEI

Taiwan

Product : plugs (2-pole) for household purposes

Trade name(s) : YUNG-LI (LOGO)

Type(s)/model(s) : YP-21A

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:


- a type test according to the standard specified in annex
- an inspection of the production location according to CCA Group Operational Document CIG 021
- a certification agreement with the number 1031

SGS CEBEC hereby grants the right to use the CEBEC certification mark



The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 15/11/2007


 ir. R. Maquestiau,
 Managing Director

© Only integral publication of this certificate, including the annex, is allowed

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	:	plugs (2-pole) for household purposes
Trade name(s)	:	YUNG-LI (LOGO)
Type(s)/Model(s)	:	YP-21A
rated current (In)	:	2.5 A
rated voltage (Un)	:	250 V~
design	:	non-rewirable flat version
class	:	for class II appliances
standard sheet	:	I
applied flexible cord(s)	:	H03 VV-F 2x0.75 mm ² H03 VVH2-F 2x0.75 mm ²
applied flexible cord(s) (cont'd)	:	H05 VV-F 2x0.75-1 mm ² H05 VVH2-F 2x0.75-1 mm ²
certification mark	:	complies with the requirements
cord(s) termination	:	crimped connection
description	:	body of thermoplastic material as part of an incomplete cord set for class II appliances
markings	:	are shown on the body

TESTS**Test requirements**

NBN C 61-075 based on EN 50075:1990

Test results

The test results are laid down in certification file ref.580167/01

Remarks

This certificate is based on certificate ref. CB DE1-38093/B1 and DE1-38093/B2 and test report(s) ref. 1609800-1560-0005/93855

Conclusion

The examination proved that all test requirements were met.

Checked by, project leader : Jean-Pierre Brecht

Department Manager,
Product Certification :

Certification Manager :

[Handwritten signatures and dates]
 2007-11-12
 2007-11-19
 2007-11-19

FACTORY LOCATION(S)

Yung Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town, Dong Guan City
523571 GUANG DONG Province
China



Accréditation
N°5-0014
Portée
disponible sur
www.cofrac.fr



LICENCE



LCIE N° 565133

Délivrée à:
Delivered to: **YUNG LI Co., Ltd**
1F, No 10, Lane 235, Pao-Chiang Road, Hsin-Tien - TAIPEI -
TAIWAN

Site de fabrication : **YUNG LI Co., Ltd. (1532AP)**
Factory : Da Pu Industrial Zone, Gang Zi, Chang Ping Town - Dong Guan City -
GUANG DONG PROVINCE 523571 - CHINE

Produit:
Product: **FICHE DE PRISE DE COURANT**
PLUG

Marque commerciale (s'il y a lieu): **YUNG-LI**
Trade mark (if any):

Modèle, type, référence:
Model, type, reference: **YP-21A**

Caractéristiques nominales et principales:
Rating and principal characteristics: **2,5A, 250V~, 2 pôles/poles**

Informations complémentaires:
Additional informations: **Voir au verso/see overleaf**

Le produit est conforme à:
The product is in conformity with: **EN 50075:1990**

Documents pris en compte:
Relevant documents: **Rapport d'essai/test report LCIE n°YLI-07NO089ACSP, CB Test
Certificate DE1-38093/B1 / TR N°1609800-1560-0005/93 855**

Annule et remplace (s'il y a lieu): **/**
Cancels and replaces (if necessary):

Cette licence autorise l'usage de la marque NF pour le produit dans les conditions du règlement de la marque NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

Fontenay-aux-Roses, 2007-11-23


Date limite de validité :
Limit expired date :

La validité de la présente licence cesse dès l'annulation de l'une des normes sur laquelle elle est fondée.
The present licence is valid until the cancellation of one of the standards on which it is based.

This licence permits the use of the Mark NF for the product in compliance with the Regulation of the NF Mark, as far as the regular checking and third party verifications of the production are satisfactory.

Par mandatement de AFAQ AFNOR Certification et pour le LCIE
By mandate from AFAQ AFNOR Certification and for LCIE

Michel BRENON
Directeur de la Certification
Certification Manager



CARACTERISTIQUES NOMINALES ET PRINCIPALES
RATING AND PRINCIPAL CHARACTERISTICS

CLASSIFICATION

Feuille de norme / <i>Standard Sheet</i>	I
Courant nominal / <i>Rated current (A)</i>	2,5 A
Tension nominale / <i>Rated voltage (V)</i>	250 V
Degré de protection <i>Degree of protection</i>	IP20
Présence de contact de terre <i>Provision for earthing</i>	Sans contact de terre / <i>Without earthing contact</i>
Procédé de raccordement du câble <i>Method of connecting the cable</i>	Non démontable / <i>Non-rewirable</i>
Type de connexion <i>Type of connections</i>	Sertie / <i>Crimped</i>
Fiches / Plugs:	
Classe du matériel / <i>Class of equipment</i>	II
Couleur / <i>Colour</i>	Noir/ <i>Black</i>
Entrée de câble <i>Cable entry</i>	Longitudinale / <i>Longitudinal</i>

Composants <i>Components</i>	Modèle <i>Model</i>	Fabricant <i>Manufacturer</i>	Conformité/ <i>conformity</i>
Câble/ <i>cable</i>	H03VV-F 2x0,75mm ²	Yung Li Co Ltd	VDE
	H03VVH2-F 2x0,75mm ²		
	H05VV-F 2x0,75 / 2x1mm ²		
	H05VVH2-F 2x0,75 / 2x1mm ²		



No. P07208607

Accredited Certificate (ref. NA-PROD 001)

Order No.

95841

Applicant	Yung-Li Co., Ltd. China Da Pu Industrial Zone, Chang Ping Town, Dongguan City, 523571 GUANG DONG PROVINCE CHINA
Manufacturer	Yung-Li Co., Ltd. China Da Pu Industrial Zone, Chang Ping Town, Dongguan City, 523571 GUANG DONG PROVINCE CHINA
Factory	Yung-Li Co., Ltd. China Da Pu Industrial Zone, Chang Ping Town, Dongguan City, 523571 GUANG DONG PROVINCE CHINA
Trade mark	YUNG LI
Product	Plug
Model/type	YP-21A
Rating	2.5A 250V AC
Principal characteristics	Non-rewirable two-pole plug for Cl.II. appliance. Standard Sheet I. Thermoplastic, with H03VV-F 2x0.75mm ² . IP20.
Standard(s)	Safety std.: EN 50075:1990
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Variants	This Certificate also covers variants with Position No. from 001 to 003 See next page(s)

Date of issue 20 November. 2007



signature

Pål Pedersen

Certification Department

No. P07208607

Accredited Certificate (ref. NA-PROD 001)

Order No.

95841

Product	Plug
Position No	001
Model/type	YP-21A
Rating and principal characteristics	2.5A 250V AC
Additional information	Non-rewirable two-pole plug for Cl.II. appliance. Standard Sheet I. Thermoplastic, with H03VVH2-F 2x0.75mm ² . IP20.
Product	Plug
Position No	002
Model/type	YP-21A
Rating and principal characteristics	2.5A 250V AC
Additional information	Non-rewirable two-pole plug for Cl.II. appliance. Standard Sheet I. Thermoplastic, with H05VV-F 2x0.75-1mm ² . IP20.
Product	Plug
Position No	003
Model/type	YP-21A
Rating and principal characteristics	2.5A 250V AC
Additional information	Non-rewirable two-pole plug for Cl.II. appliance. Standard Sheet I. Thermoplastic, with H05VVH2-F 2x0.75-1mm ² . IP20.

Date of issue 20 November. 2007



signature

Pål Pedersen

Certification Department

SGS



CERTIFICATE NCS/FI 23750

Our Ref. 248780

Product Plug, non-rewirable

Type YP-21A, with cord H03VV-F 2x0,75
YP-21A, with cord H03VVH2-F 2x0,75
YP-21A, with cord H05VV-F 2x0,75-1
YP-21A, with cord H05VVH2-F 2x0,75-1

Trade mark YUNG LI or YL

Certificate Holder Yung-Li Co., Ltd
Da Pu Industrial Zone, Chang Ping Town, Dongguan City, 523571, GUANG DONG PROVINCE, CHINA

Manufacturer Yung-Li Co., Ltd, Da Pu Industrial Zone, Chang Ping Town, Dongguan City, 523571, GUANG DONG PROVINCE, CHINA

Technical information 2,5 A, 250 V~, IP 20

Other information Standard sheet 1


The product is certified according to the following standard(s) EN 50075:1990

Validity This certificate is valid until 25 October 2012 unless the standard in question has been amended or superseded with significant changes in requirements, in which case, SGS Fimko has the right to shorten the validity of the certificate based on the legislation of the European Union. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

Date of issue 25 October 2007

SGS Fimko Ltd

Signature


Osmo Väyrynen
Certification Manager

This certificate has 1 appendix



This certificate is issued under SGS Fimko general terms of delivery (available on request and accessible at www.fi.sgs.com). The issuance of this certificate does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on SGS Fimko. SGS Fimko's responsibility under this certificate is limited to proven negligence and will in no case be more than the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by SGS Fimko for more than three months.

Any unauthorized alteration, forgery or falsification of the content or appearance of this certificate is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Fimko Ltd.

Särkiniementie 3 P.O.Box 30 FI-00211 Helsinki, Finland
t. +358 9 696 361 f. +358 9 692 5474 www.fi.sgs.com

Business ID 0978538-5

Member of the SGS Group (SGS SA)

graphic design atelier roger plund printed by orell füssli security printing ltd switzerland



Yung Li Co., Ltd.
Da Pu Industrial Zone
Chang Ping Town
CN-Dongguan, Guangdong 523571
P.R. China

Client No.	Your ref.	Our Ref.	Date
125389	Robert	Gn	2010/10/04

Authorization

Number: **10.0942**
valid until: **2013/11/05**

Marking:  company logo

Based on the documents contained in file **07-BS-0397** the Federal Inspectorate for Heavy Current Installations grants the firm named above the right, to put the equipment listed below on the market marked with the safety mark in accordance with the NEV.

Equipment: **Non-rewirable 2-pole plug for class II appliances**
Tradename: **YUNG LI**

Type designation: Nominal values:

YP-21A 250 V~ 2.5 A L+N
EN 50075 standard sheet 1
CEE7 standard sheet XVI (v.II)
with non-rewirable cords:
H03VVH2-F 2x0.75mm² [Yung Li]
H03VV-F 2x0.75mm² [Yung Li]
H05VVH-F 2x0.75...1.00mm² [Yung Li]
H05VV-F 2x0.75...1.00mm² [Yung Li]

Protection class: for class II equipment
Protection degree: IP20
Basis: CB / VDE / DE1-38093/B1 dated 2007/10/05
CB / VDE / DE1-38093/B2 dated 2007/10/05

Remark: A further extension of the authorization is possible with an updated test certificate.

Test standards: IEC 60884-1(ed.3):2002

**Federal Inspectorate for Heavy Current Installations
Authorization Safety Mark**

P. Fluri
Head

Certificate



for European Product Safety

Reference No. 714434

Plug, non rewirable

Type designation YP-21A

Certificate holder YUNG LI CO. LTD.
Da Pu Industrial Zone
Chang Ping Town
Dongguan City, Guang Dong
523571
CHINA

The product complies with the standard(s) EN 50075:1990


Date of expiry 15 November 2012

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification

Place Kista - Stockholm

Signed



Gunilla Lindström

Date 15 November 2007

Page 1 of 2

This certificate is issued in accordance with the terms and conditions set out in the Appendix.



Appendix

Reference No. 714434

Technical data

Type designation	YP-21A
Rated voltage (V)	250V~
Rated current (A)	2.5A
IP-Class	IP20
Type of cord	H03VV-F 2x0,75mm ² H03VVH2-F 2x0,75mm ² H05VV-F 2x0,75-1,0mm ² H05VVH2-F 2x0,75-1,0mm ²
Standard sheet	1
Brand name:	YUNG LI or YL
Product information	Non-rewirable.


Manufacturing site(s)	YUNG LI CO. LTD. Da Pu Industrial Zone Chang Ping Town Dongguan City, Guang Dong 523571 CHINA
-----------------------	--

This certificate is based on a certificate with ref. No. NCS/FI 23750 dated 25 October 2007, issued by SGS FIMKO LTD according to the Nordic Certification Service Agreement.

The certificate applies for countries that have sanctioned the use of plugs/outlets according to subject standard sheet and component standard.

Certification Body	Intertek Semko AB, Product Certification	Place	Kista - Stockholm
--------------------	--	-------	-------------------

Signed



Gunilla Lindström

Date 15 November 2007

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

PID:
02113100
CID:
C.1996.5269

Certificato di approvazione

Approval certificate

IMQ, ente di certificazione accreditato, autorizza la ditta *IMQ, accredited certification body, grants to*


YUNG LI CO., LTD.
1F, N.10, LANE 235, PAO CHIANG RD., HSIN-TIEN
231
TAIPEI
TW - Taiwan

all'uso del marchio

the licence to use the mark

IMQ

Il presente certificato è soggetto alle condizioni previste nel "Regolamento IMQ - Certificazione prodotto" ed è relativo ai prodotti descritti nell'Allegato al presente certificato.



per i seguenti prodotti

**Spine indissolubilmente
collegate al cavo
(Rif.di Tipo YP-21A)**

for the following products

*Non-rewirable plugs
(Type Ref. YP-21A)*

This certificate is subjected to the conditions foreseen by "IMQ Rules - Product Certification" and is relevant to the products listed in the annex to this certificate.

Emesso il / Issued on:

2007-12-19

Data di aggiornamento / Updated on

Sostituisce / Replaces


IMQ S.p.A.

Allegato - Certificato di approvazione
Annex - Approval certificate

Emesso il / Issued on 2007-12-19
Data di aggiornamento / Updated on
Sostituisce / Replaces

Prodotto | Product

Spine indissolubilmente collegate al cavo
Non-rewirable plugs

Concessionario | Licence Holder

YUNG LI CO., LTD.
1F, N.10, LANE 235, PAO CHIANG RD., HSIN-TIEN 231
TAIPEI
TW - Taiwan

Marchio | Mark



IMQ

Costruito a | Manufactured at

PL.B000M3 C01175219

DONG GUAN CITY, GUANG DONG PROV.

China

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

Norme

EN 50075:1990

Standards

EN 50075:1990

Rapporti | Test Reports

26LH00292

Caratteristiche tecniche | Technical characteristics

Designazione | Type designation **2P**
Tensione nominale | Rated voltage **250V**
Corrente nominale | Rated current **2,5A**
Grado di protezione | Degree of protection (IP) **IP20**
Tipo di morsetti | Type of terminals **morsetti aggraffati / crimped connections**
Materiale della custodia | Material of the cover **termoplastico / thermoplastic**
Uscita cavo | Cable exit **assiale / straight**

Articoli (con dettagli) | Articles (with details)

AR.H00FBX

Marca | Trade mark **YUNG-LI**
Riferimento di tipo | Type reference **YP-21A**
Tipo di cavo | Type of cable **H03VVH2-F**
Sezione nominale | Section areas **2x0,75mm²**

AR.H00FBY

Marca | Trade mark **YUNG-LI**
Riferimento di tipo | Type reference **YP-21A**
Tipo di cavo | Type of cable **H03VV-F**
Sezione nominale | Section areas **2x0,75mm²**

AR.H00FBZ

Marca | Trade mark **YUNG-LI**
Riferimento di tipo | Type reference **YP-21A**
Tipo di cavo | Type of cable **H05VVH2-F**
Sezione nominale | Section areas **2x0,75mm²**

AR.H00FC0

Marca / Trade mark **YUNG-LI**
Riferimento di tipo / Type reference **YP-21A**
Tipo di cavo / Type of cable **H05VVH2-F**
Sezione nominale / Section areas **2x1mm²**

AR.H00FC1

Marca / Trade mark **YUNG-LI**
Riferimento di tipo / Type reference **YP-21A**
Tipo di cavo / Type of cable **H05VV-F**
Sezione nominale / Section areas **2x0,75mm²**

AR.H00FC2

Marca / Trade mark **YUNG-LI**
Riferimento di tipo / Type reference **YP-21A**
Tipo di cavo / Type of cable **H05VV-F**
Sezione nominale / Section areas **2x1mm²**

Diritti di concessione | Annual Fees

SN.H001HS

BTH.021100.DA19

Diritti modelli IMQ - 0211 - Prese, spine e connettori di uso domestico / IMQ models - 0211 - Plugs and appliance couplers for domestic purposes

1

M. Yin
IMQ S.p.A.

СИСТЕМА СЕРТИФИКАЦИИ ГОСТ Р
ГОССТАНДАРТ РОССИИ



СЕРТИФИКАТ СООТВЕТСТВИЯ

№ РОСС CN.BE01.B14134

Срок действия с 19.10.2009 по 19.10.2012

8751838

ОРГАН ПО СЕРТИФИКАЦИИ

Per. № РОСС HU.0001.11BE01

ООО "MERT-CERT по сертификации"

1094 г. Будапешт, ул. Андял, д. 1-3; ВЕНГРИЯ, тел. +36 (1) 456-9051, факс +36 (1) 456-9052

ПРОДУКЦИЯ

Соединители электрические: Вилки неразборные YF-21A

Обозначение документации, по которой выпускается продукция:

1609800-1560-0005/93855

Серийный выпуск

КОД ОК 005 (ОКП):

34 6440

СООТВЕТСТВУЕТ ТРЕБОВАНИЯМ НОРМАТИВНЫХ ДОКУМЕНТОВ

ГОСТ Р 51322.1-99

КОД ТН ВЭД России:

8536 69 900 0

ИЗГОТОВИТЕЛЬ

Yung Li Co., Ltd.

Da Pu Industrial Zone, 523571 Chang Ping Town,

Dong Guan City, Guangdong, Китай

СЕРТИФИКАТ ВЫДАН

Yung Li Co., Ltd.

Da Pu Industrial Zone, 523571 Chang Ping Town,

Dong Guan City, Guangdong, Китай

НА ОСНОВАНИИ

- Сертификата № DE1-38093/B2 от 05.10.2007, выданного VDE по правилам схемы СБ МЭКСЭ;
- Заключения НСО ГОСТ Р-о признании СВ Сертификата от 03.09.2009 г.

ДОПОЛНИТЕЛЬНАЯ ИНФОРМАЦИЯ


Маркировка продукции производится знаком соответствия по ГОСТ Р 50460-92.


Место нанесения знака соответствия: на штилке с данными изделия.



Руководитель органа

Эксперт


подпись


подпись

ШАНДОР Янош

инициалы, фамилия

БОРБЕЙ Ласло

инициалы, фамилия

Сертификат имеет юридическую силу на всей территории Российской Федерации



**STOWARZYSZENIE ELEKTRYKÓW POLSKICH
BIURO BADAWCZE ds. JAKOŚCI**

JEDNOSTKA CERTYFIKUJĄCA WYROBY

04-703 Warszawa, ul. M. Pożaryskiego 28
tel.: +48 22 812 69 38; fax: +48 22 815 65 80
e-mail: bbj@bbj-sep.com.pl

BBJ-SEP

BBJ-SEP

BBJ-SEP

BBJ-SEP

CERTYFIKAT Nr B/12/ 440 /07

uprawniający do oznaczania wyrobu znakiem bezpieczeństwa

Nazwa i adres posiadacza
certyfikatu: YUNG LI CO., LTD.
Da Pu Industrial Zone, Chang Ping Town,
523571 Dong Guan City, Guangdong, China

Nazwa i adres producenta: YUNG LI CO., LTD.
Da Pu Industrial Zone, Chang Ping Town,
523571 Dong Guan City, Guangdong, China

Nazwa wyrobu: Wtyczka nierozbieralna, klasy II, płaska,
z przewodem H03VVH2-F 2x0,75mm², H03VV-F 2x0,75mm²
H05VVH2-F 2x0,75mm², 2x1,0mm²
H05VV-F 2x0,75mm², 2x1,0mm²

Typ (odmiany): YP-21A

Podstawowe parametry: 2,5 A, 250 V~

Wyrób spełnia wymagania
bezpieczeństwa zawarte w: PN-IEC 60884-1:2006 (IEC 60884-1:2002)

Nr sprawozdania: 1609800-1560-0005/93855, CB DE1-38093/B1, CB DE1-38093/B2

Model certyfikacji: SYSTEM 5 ISO

Prawo do oznaczania w okresie od 2007-11-12 do 2012-11-11
dotyczy wyłącznie egzemplarzy wyrobu posiadających identyczne właściwości (parametry)
jak przedstawiony do badań wzór (wzory) i odpowiadających wymaganiom określonym powyżej.
Prawa i obowiązki obu stron wynikające z niniejszego certyfikatu określa odrębna umowa.

BBJ-SEP

BBJ-SEP

BBJ-SEP

BBJ-SEP

Warszawa, dnia 2007-11-12



Dyrektor
Janusz Okólski
Janusz Okólski


ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town
523571 DONG GUAN CITY
Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN 60320-1 (VDE 0625-1):2008-05; EN 60320-1:2001 + A1:2007



Aktenzeichen: 1609800-1550-0005 / 117700

File ref.:

Ausweis-Nr. 40029072

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2010-01-08

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

Dr. Schipper

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>

VDE Prüf- und Zertifizierungsinstitut

Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. page
40029072 2

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Chang Ping Town, 523571 DONG GUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0005 / 117700 / FG31 / E

Datum / *Date*

2010-01-08

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029072.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40029072.

Gerätesteckdose, nicht-wiederanschließbar *Connector, non-rewirable*

Typ(en) / *Type(s)*:

- 1) YC-13
- 2) YC-13L
- 3) YC-13D

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

2,5 A

Polzahl
Number of poles

2-polig ohne Schutzkontakt
2-pole without earthing contact

Bauart
Kind of construction

Normblatt C7
standard sheet C7

Anmerkung(en)

Gerätesteckdosen ohne Schutzkontakt müssen Teil einer Geräteanschlußleitung oder einer Weiterverbindungs-Geräteanschlußleitung sein.

Remark(s)

Connectors without earthing contact shall be part of a cord set or interconnection cord set

Produktinformation
Product information

siehe Anlage Nr. 100 + 200 + 900
see Appendix No. 100 + 200 + 900

Warenzeicheninhaber
Trademark holder

Yung Li Co. Ltd.

Fortsetzung siehe Blatt 3 /
continued on page 3

DEPARTMENT OF **FAIR TRADING**

NSW Consumer Protection Agency

CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Appliance Connector

DESCRIPTION OF ARTICLE:

Appliance connector for class II equipment, listed as C7 in standard sheet and integrally moulded to a 2 core flat insulated and sheathed flexible cord, 2x0.75mm sq. (HAR approved H03VVH2-F) 250V, a.c, 2.5A.

TYPE REFERENCE CODE: Type YC-13

APPROVAL MARK:


Each electrical article of the abovementioned type shall be marked with N15371

DATE OF APPROVAL: 17 September 1997

This approval expires 5 YEARS from the date of approval unless renewed or extended



for DIRECTOR-GENERAL



Ref: N15371/1

DEPARTMENT OF FAIR TRADING

NSW Consumer Protection Agency

RENEWAL OF CERTIFICATE OF APPROVAL No 15371

PARTICULARS OF RENEWAL

The approval of Appliance Connector Type No. YC-13 has been renewed for a period of FIVE years.

The Approval expires on 17 September 2007 unless it is renewed, extended, suspended or cancelled.

for DIRECTOR-GENERAL

16 July 2002

ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town
523571 Dong Guan City
Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Flexible Leitung
Flexible cable (cord)


die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



oder/or



oder/or



Geprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 S3:1994 + A1:1999 + A2:2001

VDE Prüf- und Zertifizierungsinstitut
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

Aktenzeichen: 1609800-5140-0005 / 82166

File ref.:

Ausweis-Nr. 40010145

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2004-04-27

(letzte Änderung/updated 2007-02-22)

<http://www.vde.com/zertifikat>

<http://www.vde.com/certificate>

VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. / page
40010145 2

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Chang Ping Town, 523571 Dong Guan City, Guangdong,
CHINA

Aktenzeichen / *File ref.*

1609800-5140-0005 / 82166 / FG42 / STR

letzte Änderung / *updated* Datum / *Date*

2007-02-22 2004-04-27

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40010145.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40010145.

Flexible Leitung *Flexible cable (cord)*

Typ(en) / *Type(s)*:

H03VV-F 2...4 x 0,5...0,75 mm²

+

H03VVH2-F 2 x 0,5...0,75 mm²

+

H05VV-F 2...5 x 0,75...2,5 mm²

+

H05VVH2-F 2 x 0,75...1,0 mm²

+

Firmenzeichen

YUNG LI

Trademark

Dieser Zeichengenehmigungs-Ausweis bildet die Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den genannten Normen im Sinne der **EG-Niederspannungsrichtlinie 2006/95/EG**.

This Marks Approval is the basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity with the said standards as defined by the EC Low-Voltage Directive 2006/95/EC.

VDE Prüf- und Zertifizierungsinstitut
VDE Testing and Certification Institute
Fachgebiet FG42
Section FG42

Test Report

Report No.:RLSZC0004806302

Page 1 of 15

Applicant :YUNG LI CO.,LTD

Address :DA PU INDUSTRIAL ZONE,GANG ZI,CHANG PING TOWN, DONG GUAN CITY,GUANG DONG 523571 CHINA

Report on the submitted sample(s) said to be:

No.	Sample Names	Sample Description
1	PVC BLACK	Black plastic grains
2	PVC WHITE	White plastic grains
3	PVC BROWN	Brown plastic grains
4	PVC BLUE	Blue plastic grains
5	PVC YELLOW	Yellow plastic grains
6	PVC GREEN	Green plastic grains
7	PVC RED	Red plastic grains
8	INK	White ink
9	INNERBODY	White plastic
10	CABLE COPPER	Cupreous color metal
11	TERMINAL COPPER	Golden color metal
12	COPPER ALLOY	Metal with silver color plating


Part No. :Please refer to the next page
 Sample Received Date :Mar. 16, 2010
 Testing Period :Mar. 16, 2010 to Mar. 24, 2010

Test Requested :1.As specified by client, to determine the Lead, Cadmium, Mercury, Hexavalent Chromium, Perfluorooctane Sulfonates, Tetrabromobisphenol-A, Polycyclic Aromatic Hydrocarbons(PAHs), PBBs&PBDEs content in the submitted sample.
 2.As specified by client, to identify if there is the Hexavalent Chromium in the submitted sample.

Test Method: Please refer to the following page(s).

Test Result(s): Please refer to the following page(s).

Tested by  _____
 Approved by _____
 Technical Manager

Inspected by  _____
 Date Apr. 9, 2010

No. 26065051

Test Report

Report No.:RLSZC0004806302

Page 2 of 15

Part No.

YL-1861	YL-21K12	YL-2212L	YL-2615	YL-3561	YL-4614	YL-6014	YL-6100	YL-8100	
YL-2112	YL-21K13	YL-2214	YL-2622	YL-4500	YL-4615	YL-6014L	YL-6145	YL-8113	
YL-2112L	YL-21K14	YL-2215	YL-2623	YL-4512	YL-4623	YL-6015	YL-6146	YL-8115	
YL-2113	YL-21K15	YL-2215L	YL-2661	YL-4514	YL-4645	YL-6015L	YL-8013	YL-8121	
YL-2113A	YL-21K21	YL-2245	YL-3112	YL-4515	YL-4821	YL-6021	YL-8013L	YL-8122	
YL-2113L	YL-21K21L	YL-2246	YL-3114	YL-4523	YL-4823	YL-6021L	YL-8015	YL-8123	
YL-2121	YL-21K22	YL-223	YL-3412	YL-4535	YL-6012	YL-6022	YL-8021		
YL-2121L	YL-21K23	YL-2300	YL-3413	YL-4546	YL-6012L	YL-6022L	YL-8022		
YL-2135	YL-21K35	YL-2361	YL-3415	YL-4600	YL-6013	YL-6023	YL-8023		
YL-2161	YL-2212	YL-2600	YL-344	YL-4612	YL-6013L	YL-6035	YL-8035		
YP-14	YP-23K	YP-47	YC-01	YC-12G	YC-13K	YC-18L	YC-45	YD-05	YD-18
YP-04	YP-24	YP-48	YC-04	YC-12K	YC-13L	YC-18A	YC-46	YD-06	YD-19
YP-05	YP-24K	YP-49	YC-05	YC-12L	YC-13LG	YC-19	YC-52	YD-07	YD-20
YP-20	YP-24L	YP-50	YC-05-1	YC-12T	YC-13S	YC-20	YC-53	YD-09	YD-21
YP-21	YP-25	YP-51	YC-05A	YC-12-01	YC-13W	YC-20L	YC-54	YD-10	YD-22
YP-21K	YP-26	YP-60	YC-06	YC-12GL	YC-13F	YC-20LR	YC-55	YD-11	YD-23
YP-21A	YP-26A	YP-60L	YC-07W	YC-13	YC-14	YC-21	YC-56	YD-12	YD-24
YP-21S	YP-26B	YP-61	YC-08	YC-13A	YC-14G	YC-21A	YC-58	YD-13	YD-25
YP-21C	YP-26C	YP-62	YC-09	YC-13B	YC-14L	YC-22	YC-59	YD-14	YD-26
YP-21T	YP-30	YP-63	YC-10	YC-13BL	YC-14GL	YC-23	YC-72	YD-15	YD-27
YP-21H	YP-31	YP-71	YC-11	YC-13C	YC-14S	YC-24	YC-73	YD-16	YD-28
YP-03H	YP-34	YP-80	YC-12	YC-13D	YC-15	YC-25	YC-77	YD-17	YD-29
YP-22	YP-38	YP-81	YC-12A	YC-13E	YC-16	YC-25L	YC-79	YD-17A	YD-30
YP-22K	YP-45		YC-12C	YC-13G	YC-17	YC-35		YD-17B	
YP-23	YP-46		YC-12D	YC-13H	YC-18			YD-17L	

Test Report

Report No.: RLSZC0004806302

Page 3 of 15

Test Method:

Tested Item(s)	Test Method	Measured Equipment(s)	MDL
Lead (Pb)	IEC 62321:2008 Ed.1 Sec.8	ICP-OES	2 mg/kg
	IEC 62321:2008 Ed.1 Sec.9		
	IEC 62321:2008 Ed.1 Sec.10		
Cadmium (Cd)	IEC 62321:2008 Ed.1 Sec.8	ICP-OES	2 mg/kg
	IEC 62321:2008 Ed.1 Sec.9		
	IEC 62321:2008 Ed.1 Sec.10		
Mercury (Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2 mg/kg
Hexavalent Chromium (Cr(VI))	IEC 62321:2008 Ed.1 Annex B	UV-Vis	/
	IEC 62321:2008 Ed.1 Annex C		2 mg/kg
Perfluorooctane Sulfonates(PFOS)	Refer to US EPA 3550C:2007	LC-MS-MS	5 mg/kg
Tetrabromobisphenol-A (TBBP-A)	Refer to US EPA 3540C:1996	GC-MS	5 mg/kg
Polycyclic Aromatic Hydrocarbons (PAHs)	Refer to US EPA 3550C:2007 & US EPA 8270D:2007	GC-MS	0.2 mg/kg
Polybrominated Biphenyls (PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg

Test Result(s):

Tested Item(s)	Content		
	Sample No.1	Sample No.2	Sample No.3
Lead (Pb)	N.D.	N.D.	N.D.
Cadmium (Cd)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr(VI))	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates(PFOS)	N.D.	N.D.	N.D.
Tetrabromobisphenol-A (TBBP-A)	N.D.	N.D.	N.D.

Test Report

Report No.:RLSZC0004806302

Page 4 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.4	Sample No.5	Sample No.6
Lead (Pb)	N.D.	N.D.	N.D.
Cadmium (Cd)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr(VI))	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates(PFOS)	N.D.	N.D.	N.D.
Tetrabromobisphenol-A (TBBP-A)	N.D.	N.D.	N.D.

Tested Item(s)	Content		
	Sample No.7	Sample No.8	Sample No.9
Lead (Pb)	N.D.	N.D.	9 mg/kg
Cadmium (Cd)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr(VI))	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates(PFOS)	N.D.	N.D.	N.D.
Tetrabromobisphenol-A (TBBP-A)	N.D.	N.D.	N.D.

Tested Item(s)	Content		
	Sample No.10	Sample No.11	Sample No.12
Lead (Pb)	N.D.	18 mg/kg	25890 mg/kg
Cadmium (Cd)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.

Tested Item(s)	Conclusion		
	Sample No.10	Sample No.11	Sample No.12
Hexavalent Chromium (Cr(VI))	Negative	Negative	Negative

Note: Negative = Absence of Cr(VI) , the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02 mg/kg with 50cm² sample surface area used.

Test Report

Report No.:RLSZC0004806302

Page 5 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.1	Sample No.2	Sample No.3
Polybrominated Biphenyls(PBBs)			
Monobromobiphenyl	N.D.	N.D.	N.D.
Dibromobiphenyl	N.D.	N.D.	N.D.
Tribromobiphenyl	N.D.	N.D.	N.D.
Tetrabromobiphenyl	N.D.	N.D.	N.D.
Pentabromobiphenyl	N.D.	N.D.	N.D.
Hexabromobiphenyl	N.D.	N.D.	N.D.
Heptabromobiphenyl	N.D.	N.D.	N.D.
Octabromobiphenyl	N.D.	N.D.	N.D.
Nonabromobiphenyl	N.D.	N.D.	N.D.
Decabromobiphenyl	N.D.	N.D.	N.D.
Polybrominated Diphenyl Ethers(PBDEs)			
Monobromodiphenyl ether	N.D.	N.D.	N.D.
Dibromodiphenyl ether	N.D.	N.D.	N.D.
Tribromodiphenyl ether	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	N.D.	N.D.	N.D.
Octabromodiphenyl ether	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	N.D.	N.D.	N.D.
Decabromodiphenyl ether	N.D.	N.D.	N.D.

Test Report

Report No.:RLSZC0004806302

Page 6 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.4	Sample No.5	Sample No.6
Polybrominated Biphenyls(PBBs)			
Monobromobiphenyl	N.D.	N.D.	N.D.
Dibromobiphenyl	N.D.	N.D.	N.D.
Tribromobiphenyl	N.D.	N.D.	N.D.
Tetrabromobiphenyl	N.D.	N.D.	N.D.
Pentabromobiphenyl	N.D.	N.D.	N.D.
Hexabromobiphenyl	N.D.	N.D.	N.D.
Heptabromobiphenyl	N.D.	N.D.	N.D.
Octabromobiphenyl	N.D.	N.D.	N.D.
Nonabromobiphenyl	N.D.	N.D.	N.D.
Decabromobiphenyl	N.D.	N.D.	N.D.
Polybrominated Diphenyl Ethers(PBDEs)			
Monobromodiphenyl ether	N.D.	N.D.	N.D.
Dibromodiphenyl ether	N.D.	N.D.	N.D.
Tribromodiphenyl ether	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	N.D.	N.D.	N.D.
Octabromodiphenyl ether	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	N.D.	N.D.	N.D.
Decabromodiphenyl ether	N.D.	N.D.	N.D.

Test Report

Report No.:RLSZC0004806302

Page 7 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.7	Sample No.8	Sample No.9
Polybrominated Biphenyls(PBBs)			
Monobromobiphenyl	N.D.	N.D.	N.D.
Dibromobiphenyl	N.D.	N.D.	N.D.
Tribromobiphenyl	N.D.	N.D.	N.D.
Tetrabromobiphenyl	N.D.	N.D.	N.D.
Pentabromobiphenyl	N.D.	N.D.	N.D.
Hexabromobiphenyl	N.D.	N.D.	N.D.
Heptabromobiphenyl	N.D.	N.D.	N.D.
Octabromobiphenyl	N.D.	N.D.	N.D.
Nonabromobiphenyl	N.D.	N.D.	N.D.
Decabromobiphenyl	N.D.	N.D.	N.D.
Polybrominated Diphenyl Ethers(PBDEs)			
Monobromodiphenyl ether	N.D.	N.D.	N.D.
Dibromodiphenyl ether	N.D.	N.D.	N.D.
Tribromodiphenyl ether	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	N.D.	N.D.	N.D.
Octabromodiphenyl ether	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	N.D.	N.D.	N.D.
Decabromodiphenyl ether	N.D.	N.D.	N.D.

Test Report

Report No.:RLSZC0004806302

Page 8 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.1	Sample No.2	Sample No.3
Polycyclic Aromatic Hydrocarbons(PAHs)			
Naphthalene	N.D.	N.D.	N.D.
Acenaphthylene	N.D.	N.D.	N.D.
Acenaphthene	N.D.	N.D.	N.D.
Fluorene	N.D.	N.D.	N.D.
Phenanthrene	N.D.	N.D.	N.D.
Anthracene	N.D.	N.D.	N.D.
Fluoranthene	N.D.	N.D.	N.D.
Pyrene	N.D.	N.D.	N.D.
Benzo[a]anthracene	N.D.	N.D.	N.D.
Chrysene	N.D.	N.D.	N.D.
Benzo[b]fluoranthene	N.D.	N.D.	N.D.
Benzo[k]fluoranthene	N.D.	N.D.	N.D.
Benzo[a]pyrene	N.D.	N.D.	N.D.
Indenol[1,2,3-cd]pyrene	N.D.	N.D.	N.D.
Dibenz[a,h]anthracene	N.D.	N.D.	N.D.
Benzo[g,h,i]perylene	N.D.	N.D.	N.D.

Test Report

Report No.:RLSZC0004806302

Page 9 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.4	Sample No.5	Sample No.6
Polycyclic Aromatic Hydrocarbons(PAHs)			
Naphthalene	N.D.	N.D.	N.D.
Acenaphthylene	N.D.	N.D.	N.D.
Acenaphthene	N.D.	N.D.	N.D.
Fluorene	N.D.	N.D.	N.D.
Phenanthrene	N.D.	N.D.	N.D.
Anthracene	N.D.	N.D.	N.D.
Fluoranthene	N.D.	N.D.	N.D.
Pyrene	N.D.	N.D.	N.D.
Benzo[a]anthracene	N.D.	N.D.	N.D.
Chrysene	N.D.	N.D.	N.D.
Benzo[b]fluoranthene	N.D.	N.D.	N.D.
Benzo[k]fluoranthene	N.D.	N.D.	N.D.
Benzo[a]pyrene	N.D.	N.D.	N.D.
Indenol[1,2,3-cd]pyrene	N.D.	N.D.	N.D.
Dibenz[a,h]anthracene	N.D.	N.D.	N.D.
Benzo[g,h,i]perylene	N.D.	N.D.	N.D.

Test Report

Report No.:RLSZC0004806302

Page 10 of 15

Test Result(s):

Tested Item(s)	Content		
	Sample No.7	Sample No.8	Sample No.9
Polycyclic Aromatic Hydrocarbons(PAHs)			
Naphthalene	N.D.	1.0 mg/kg	N.D.
Acenaphthylene	N.D.	N.D.	N.D.
Acenaphthene	N.D.	N.D.	N.D.
Fluorene	N.D.	N.D.	N.D.
Phenanthrene	N.D.	N.D.	N.D.
Anthracene	N.D.	N.D.	N.D.
Fluoranthene	N.D.	N.D.	N.D.
Pyrene	N.D.	N.D.	N.D.
Benzo[a]anthracene	N.D.	N.D.	N.D.
Chrysene	N.D.	N.D.	N.D.
Benzo[b]fluoranthene	N.D.	N.D.	N.D.
Benzo[k]fluoranthene	N.D.	N.D.	N.D.
Benzo[a]pyrene	N.D.	N.D.	N.D.
Indenol[1,2,3-cd]pyrene	N.D.	N.D.	N.D.
Dibenz[a,h]anthracene	N.D.	N.D.	N.D.
Benzo[g,h,i]perylene	N.D.	N.D.	N.D.

Note: The samples had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

Remark: The test results copy from the test report (Report No.RLSZC00048063).

Test Report


Report No.: RLSZC0004806302

Page 11 of 15


Test Process:

1. Test for Pb/Cd Content


(1) IEC 62321:2008 Ed.1 Sec.8




(2) IEC 62321:2008 Ed.1 Sec.9



(3) IEC 62321:2008 Ed.1 Sec.10



2. Test for Hg Content




Test Report

Report No.: RLSZC0004806302


Page 12 of 15

3. Test for Chromium(VI) Content


(1) IEC 62321:2008 Ed.1 Annex B




(2) IEC 62321:2008 Ed.1 Annex C



4. Test for PFOS Content



5. Test for TBBP-A Content




Test Report


Report No.: RLSZC0004806302

Page 13 of 15

6. Test for PAHs Content



7. Test for PBBs /PBDEs Content




Test Report

Report No.: RLSZC0004806302


Page 14 of 15

Photo(s) of the sample(s)


Sample No.1




Sample No.2




Sample No.3




Sample No.4



Sample No.5



Sample No.6




Test Report

Report No.:RLSZC0004806302


Page 15 of 15

Photo(s) of the sample(s)


Sample No.7



Sample No.8




Sample No.9




Sample No.10



Sample No.11



Sample No.12



*** End of report ***

This report is considered invalidated without the Special Seal for Inspection of the CTI, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of CTI, this test report shall not be copied except in full and published as advertisement.

Building C, Hongwei Industrial Zone, Baoan 70 District, Shenzhen